# CSc 110, Autumn 2017

Lecture 2: Functions



#### Escape sequences

- escape sequence: A special sequence of characters used to represent certain special characters in a string.
  - \t tab character
  - \n **new line character**
  - \" quotation mark character
  - \' quotation mark character
  - \\ backslash character
  - Example:

print("\\hello\nhow\tare \"you\"?\\\\")

• Output: \hello

how are "you"?\\

### Questions

• What is the output of the following print statements?

```
print("\ta\tb\tc")
print("\\\\")
print("'")
print("\"\"\"")
print("C:\nin\the downward spiral")
```

• Write a print statement to produce this output:

### Answers

• Output of each print statement:



• print statement to produce the line of output: print("/ \\ // \\\\ // \\\\\")

### Creating a Python Program File

😕 🗆 🗉 Python Shell			
<u>F</u> ile <u>E</u> dit She <u>l</u>	<u>D</u> ebug <u>O</u> pt	tions <u>W</u> indow <u>H</u> elp	
<u>N</u> ew File <u>O</u> pen Open <u>M</u> odule <u>R</u> ecent Files Class <u>B</u> rowser <u>P</u> ath Browser	Ctrl+N Ctrl+O Alt+M Alt+C	<pre>ilt, Jan 19 2017, 14:11:04) i] on linux credits" or "license()" for more information. vorld!")</pre>	
<u>Save</u> Save As	Ctrl+S Ctrl+Shift+S		
Save Copy As	Alt+Shift+S	Ln:	6 Col: 4
Prin <u>t</u> Window	Ctrl+P		
<u>C</u> lose	Alt+F4		
E <u>x</u> it	Ctrl+Q		

### Creating a Python Program File



When Run -> Run Module is selected:



#### Comments

- **comment**: A note written in source code by the programmer to describe or clarify the code.
  - Comments are not executed when your program runs.
- Syntax:
  - # comment text
- Examples:
  - # This is a one-line comment.
  - # This is a very long
  - # multi-line comment.

#### Comments example

# Suzy Student, # CSc 110, Fall 2019 # Displays lyrics

# first line
print("When I first got into magic")
print("it was an underground phenomenon")
print()

# second line
print("Now everybody's like")
print("pick a card, any card")

### functions

## Algorithms

- algorithm: A list of steps for solving a problem.
- Example algorithm: "Bake sugar cookies"
  - Mix the dry ingredients.
  - Cream the butter and sugar.
  - Beat in the eggs.

. . .

- Stir in the dry ingredients.
- Set the oven temperature.
- Set the timer for 10 minutes.
- Place the cookies into the oven.
- Allow the cookies to bake.
- Spread frosting and sprinkles onto the cookies.



## Problems with algorithms

- *lack of structure*: Many steps; tough to follow.
- redundancy: Consider making a double batch...
  - Mix the dry ingredients.
  - Cream the butter and sugar.
  - Beat in the eggs.
  - Stir in the dry ingredients.
  - Set the oven temperature.
  - Set the timer for 10 minutes.
  - Place the first batch of cookies into the oven.
  - Allow the cookies to bake.
  - Set the timer for 10 minutes.
  - Place the second batch of cookies into the oven.
  - Allow the cookies to bake.
  - Mix ingredients for frosting.
  - ...

## Structured algorithms

#### • structured algorithm: Split into coherent tasks.

#### **1** Make the batter.

- Mix the dry ingredients.
- Cream the butter and sugar.
- Beat in the eggs.
- Stir in the dry ingredients.

#### **2** Bake the cookies.

- Set the oven temperature.
- Set the timer for 10 minutes.
- Place the cookies into the oven.
- Allow the cookies to bake.

#### 3 Decorate the cookies.

. . .

- Mix the ingredients for the frosting.
- Spread frosting and sprinkles onto the cookies.

## Removing redundancy

- A well-structured algorithm can describe repeated tasks with less redundancy.
  - **1** Make the cookie batter.
  - Mix the dry ingredients.
  - ...

#### 2a Bake the cookies (first batch).

- Set the oven temperature.
- Set the timer for 10 minutes.
- ...

#### **2b** Bake the cookies (second batch).

• Repeat Step 2a

#### <u>**3** Decorate the cookies.</u>

• ...

## functions

#### • function: A named group of statements.

- denotes the *structure* of a program
- eliminates *redundancy* by code reuse
- procedural decomposition: dividing a problem into functions

• Writing a function is like adding a new command to Python.



## Declaring a function

Gives your function a name so it can be executed

- Syntax:
  - def name():
     statement
     statement
     ...

statement

• Example:

```
def print_warning():
    print("This product causes cancer")
    print("in lab rats and humans.")
```

## Calling a function

#### Executes the function's code

• Syntax:

name ()

• You can call the same function many times if you like.

• Example:

print warning()

#separate multiple words with underscores

• Output:

This product causes cancer in lab rats and humans.

### Functions calling functions

```
def message1():
    print("This is message1.")
def message2():
    print("This is message2.")
    message1()
    print("Done with message2.")
message1()
message2()
print("Done with everything.")
```

#### • Output:

```
This is message1.
This is message2.
This is message1.
Done with message2.
Done with main.
```

### Control flow

- When a function is called, the program's execution...
  - "jumps" into that function, executing its statements, then
  - "jumps" back to the point where the function was called.



## Structure of a program

- No code should be placed outside a function. Instead use a main function.
  - The one exception is a call to your main function

```
def main():
    message1()
    message2()
    print("Done with everything.")
def message1():
    print("This is message1.")

def message2():
    print("This is message2.")
    message1()
    print("Done with message2.")
main()
```

## When to use functions (besides main)

- Place statements into a function if:
  - The statements are related structurally, and/or
  - The statements are repeated.
- You should not create functions for:
  - An individual print statement.
  - Only blank lines.
  - Unrelated or weakly related statements. (Consider splitting them into two smaller functions.)

### Functions question

• Write a program to print these figures using functions.



## Development strategy





#### First version (unstructured):

- Create an empty program.
- Copy the expected output into it, surrounding each line with print syntax.
- Run it to verify the output.

#### Program version 1

def main(): print(" ")  $\setminus \setminus "$ ) print(" / print("/  $\setminus \setminus "$ ) print("\\ /") print(" \\ /") print() print("\\ /") print(" \\ /") print("+-----·-+") print() print(" ")  $\setminus \setminus ")$ print(" / print("/  $\setminus \setminus "$ ) print("| STOP |") print("\\ /") print(" \\ /") print() print(" ") print(" /  $\backslash \backslash ")$ print("/  $\setminus \setminus ")$ print("+----+")

main()

## Development strategy 2





#### Second version (structured, with redundancy):

- Identify the structure of the output.
- Divide the code into functions based on this structure.

### Output structure







The structure of the output:

- initial "egg" figure
- second "teacup" figure
- third "stop sign" figure
- fourth "hat" figure

This structure can be represented by functions:

- egg
- tea\_cup
- stop\_sign
- hat

#### Program version 2

def main():
 egg()
 tea\_cup()
 stop\_sign()
 hat()

def egg():
 print(" \_\_\_\_\_")
 print(" / \_\_\_\_")
 print("/ \_\_\_\_\")
 print("\\ \_\_\_/")
 print(" \\\_\_\_\_/")
 print()

def tea\_cup():
 print("\\ /")
 print(" \\\_\_\_/")
 print("+----+")
 print()

def stop\_sign(): 11 print print 11 11 í١ ... print STOP ٦Ì ' 11 print 11 print ... 11 \ print print def hat(); print print print print 11 11 )  $\langle " \rangle$ . . . 11 ′ '' +