

CSc 372 — Comparative Programming Languages

6 : Haskell — Lists

Christian Collberg
Department of Computer Science
University of Arizona
collberg+372@gmail.com

Copyright © 2005 Christian Collberg

August 31, 2005

1 The List Datatype

- All functional programming languages have the *ConsList* ADT built-in. It is called so because lists are constructed by “consing” (adding) an element on to the beginning of the list.
- Lists are defined recursively:
 1. The empty list `[]` is a list.
 2. An element `x` followed by a list `L` (`x:L`), is a list.
- Examples:

```
[ ]  
2: [ ]  
3: (2: [ ])  
4: (3: (2: [ ]))
```

2 The List Datatype...

- The cons operator `:"` is right associative (it binds to the right, i.e.

```
1:2:[ ] ≡ 1:(2:[ ])
```

so

```
3:(2:[ ])
```

can be written without brackets as

```
3:2:[ ]
```

3 The List Datatype...

- Lists can also be written in a convenient bracket notation.

```
2:[ ]      ⇒ [2]
3:(2:[ ]) ⇒ [3,2]
4:(3:(2:[ ])) ⇒ [4,3,2]
```

- You can make lists-of-lists (`[[1],[5]]`), lists-of-lists-of-lists (`[[[1,2]],[[3]]]`), etc.

4 The List Datatype...

- More cons examples:

```
1:[2,3]      ⇒ [1,2,3]
[1]:[[2],[3]] ⇒ [[1],[2],[3]]
```

- Note that the elements of a list must be of the same type!


```
[1,[1],1]      ⇒ Illegal!
[[1],[2],[[3]]] ⇒ Illegal!
[1,True]       ⇒ Illegal!
```

5 Internal Representation

- Internally, Haskell lists are represented as linked *cons-cells*.
- A cons-cell is like a C struct with two pointer fields `head` and `tail`.
- The `head` field points to the first element of the list, the `tail` field to the rest of the list.
- The `:`-operator creates a new cons-cell (using `malloc`) and fills in the `head` and `tail` fields to point to the first element of the new list, and the rest of the list, respectively.

6 Internal Representation...

- Example:



Standard Operations on Lists

7 head and tail

- The Standard Prelude has many built-in operations on lists.
- Two principal operators are used to take lists apart:
 1. `head L` – returns the first element of `L`.
 2. `tail L` – returns `L` without the first element.
- The cons operator `:"` is closely related to `head` and `tail`:
 1. `head (x:xs) ≡ x`
 2. `tail (x:xs) ≡ xs`
- The cons operator `:"` constructs new lists, `head` and `tail` take them apart.

8 head and tail...

```
head [1,2,3] ⇒ 1
tail [1,2,3] ⇒ [2,3]
tail [1] ⇒ [ ] ([1] == 1:[ ])
head [ ] ⇒ ERROR
tail [ ] ⇒ ERROR
head (1:[2,3]) ⇒ 1
tail (1:[2,3]) ⇒ [2,3]
head (tail [1,2,3]) ⇒ 2
head (tail [[1],[2],[3]]) ⇒ [2]
```

9 length and ++

- `length xs` – Number of elements in the list `xs`.
- `xs ++ ys` – The elements of `xs` followed by the elements of `ys`.

Examples:

```
length [1,2,3] ⇒ 3
length [ ] ⇒ 0
[1,2] ++ [3,4] ⇒ [1,2,3,4]
[1,2] ++ [ ] ⇒ [1,2]
[1] ++ [2,3] ++ [4] ⇒ [1,2,3,4]
length ([1]++[2,3]) ⇒ 3
[1] ++ [length [2,3]] ⇒ [1,2]
```

10 concat

- `concat xss` – all of the lists in `xss` appended together.

```
concat [[1],[4,5],[6]] ⇒ [1,4,5,6]
```

- Note that `concat` takes a *list of lists* as argument.

11 map

- `map f xs` – list of values obtained by applying the function `f` to the values in `xs`.

```
map even [1,2,3] ⇒ [False,True,False]
map square [1,2,3] ⇒ [1,4,9]
```

- Note that `map` takes a function as its first argument. A function which takes a function as an argument or delivers one as its result, is called a *higher-order function*.
- We will talk more about higher-order functions in future lectures.

12 More list operation examples

```
head ([1,2] ++ [3,4]) ⇒
  head [1,2,3,4] ⇒ 1
tail (concat [[1],[3,4],[5]]) ⇒
  tail [1,3,4,5] ⇒ [3,4,5]
tail (map double (concat [[1],[3],[4]])) ⇒
  tail (map double [1,3,4]) ⇒
  tail [2,6,8] ⇒ [6,8]
```

13 The String Type

- A Haskell string is a list of characters:

```
type String = [Char]
```

- All list manipulation functions can be applied to strings.
- Note that `"" == []`.

```
"Chris"    ⇔ ['C','h','r','i','s']
head "Chris" ⇔ 'C'
tail "Chris" ⇔ ['h','r','i','s']
"Chris" ++ "tian" ⇔
  ['C','h','r','i','s','t','i','a','n']
map ord "Hello" ⇔
  [72,101,108,108,111]
concat ["Have ","a ","cow, ","man!"]
⇔ "Have a cow, man!"
```

Recursion Over Lists

14 Recursion on the Tail

- Compute the length of a list.
- This is called *recursion on the tail*.

```
len :: [Int] -> Int
len xs = if xs == [] then
  0
  else
    1 + len (tail xs)
```

15 Variable Naming Conventions

- When we write functions over lists it's convenient to use a consistent variable naming convention. We let
 - x, y, z, \dots denote list elements.
 - xs, ys, zs, \dots denote lists of elements.
 - xss, yss, zss, \dots denote lists of lists of elements.

16 Map Function

- Map a list of numbers to a new list of their absolute values.
- In the previous examples we returned an `Int` — here we're mapping a list to a new list.
- This is called a *map function*.

```
abslist :: [Int] -> [Int]
abslist xs = if xs == [] then
  []
  else
    abs (head xs) : abslist (tail xs)
```

17 Map Function...

```
> abslist []
[]
> abslist [1]
[1]
  abslist [1,-2]
[1,2]
```

18 Recursion Over Two Lists

- `listeq xs ys` returns `True` if two lists are equal.

```
listeq :: [Int] -> [Int] -> Bool
listeq xs ys = if xs==[] && ys==[] then
  True
  else if xs==[] || ys==[] then
  False
  else if head xs /= head ys then
  False
  else
  listeq (tail xs) (tail ys)
```

19 Recursion Over Two Lists...

```
> listeq [1] [2]
False
> listeq [1] [1]
True
> listeq [1] [1,2]
False
> listeq [1,2] [1,2]
True
```

20 Append

- `append xs ys` takes two lists as arguments and returns a new list, consisting of the elements of `xs` followed by the elements of `ys`.
- To do this recursively, we take `xs` apart on the way down into the recursion, and “attach” them to `ys` on the way up:

```
append :: [Int] -> [Int] -> [Int]
append xs ys = if xs==[] then
  ys
  else
  (head xs) : (append (tail xs) ys)
```

21 Append...

```
> append [] []
[]
> append [1] []
[1]
> append [1] [2]
[1,2]
> append [1,2,3] [4,5,6]
[1,2,3,4,5,6]
```

Arithmetic Sequences

22 Arithmetic Sequences

- Haskell provides a convenient notation for lists of numbers where the difference between consecutive numbers is constant.

$[1..3] \Rightarrow [1,2,3]$
 $[5..1] \Rightarrow []$

- A similar notation is used when the difference between consecutive elements is $\neq 1$: Examples:

$[1,3..9] \Rightarrow [1,3,5,7,9]$
 $[9,8..5] \Rightarrow [9,8,7,6,5]$
 $[9,8..11] \Rightarrow []$

Or, in general:

$[m,k..n] \Rightarrow$
 $[m, m+(k-m)*1, m+(k-m)*2, \dots, n]$

23 Arithmetic Sequences...

- Or, in English

“ m and k are the first two elements of the sequence. All consecutive pairs of elements have the same difference as m and k . No element is greater than n .”

- Or, in some other words,

“ m and k form a *prototype* for consecutive element pairs in the list.”

- Later in the course we will talk about *infinite lists*. Haskell has the capability to create infinite arithmetic sequences:

$[3..] \Rightarrow [3,4,5,6,7,\dots]$
 $[4,3..] \Rightarrow [4,3,2,1,0,-1,-2,\dots]$

24 Summary

- The bracketed list notation $[1,2,3]$ is just an abbreviation for the list constructor notation $1:2:3:[]$.
- Lists can contain anything: integers, characters, tuples, other lists, but every list must contain elements of the same type only.
- `:`, `++`, `concat`, and list comprehensions create lists.
- `head` and `tail` take lists apart.

25 Summary...

- The notation `[m..n]` generates lists of integers from `m` to `n`.
- If the difference between consecutive integers is $\neq 1$, we use the slightly different notation `[m,k..n]`. The first two elements of the generated list are `m` and `k`. The remaining elements are as far apart as `m` and `k`.

26 Homework

- Which of the following are legal list constructions? First work out the answer in your head, then try it out with the `hugs` interpreter.

1. `1 : []`
2. `1 : [] : []`
3. `1 : [1]`
4. `[] : [1]`
5. `[1] : [1] : []`

27 Homework

- Show the lists generated by the following Haskell list expressions.

1. `[7..11]`
2. `[11..7]`
3. `[3,6..12]`
4. `[12,9..2]`

28 Homework

1. Write a function `getElmt xs n` which returns the n :th element of a list of integers.
2. Write a function `evenElmts xs` which returns a new list consisting of the 0:th, 2:nd, 4:th, ... elements of an integer list `xs`.