

## Pattern Matching

CSc 372

### Comparative Programming Languages

#### 7 : Haskell — Patterns

Department of Computer Science  
University of Arizona

[collberg@gmail.com](mailto:collberg@gmail.com)

Copyright © 2011 Christian Collberg

Christian Collberg

- Haskell has a notation (called **patterns**) for defining functions that is more convenient than conditional (`if-then-else`) expressions.
- Patterns are particularly useful when the function has more than two cases.

\_\_\_\_\_ Pattern Syntax: \_\_\_\_\_

```
function_name pattern_1 = expression_1
function_name pattern_2 = expression_2
...
function_name pattern_n = expression_n
```

## Pattern Matching...

```
fact n = if n == 0 then
  1
else
  n * fact (n-1)
```

\_\_\_\_\_ fact Revisited: \_\_\_\_\_

```
fact :: Int -> Int
fact 0 = 1
fact n = n * fact (n-1)
```

## Pattern Matching...

- Pattern matching allows us to have alternative definitions for a function, depending on the format of the actual parameter.  
Example:

```
isNice "Jenny" = "Definitely"
isNice "Johanna" = "Maybe"
isNice "Chris" = "No Way"
```

## Pattern Matching...

- We can use pattern matching as a design aid to help us make sure that we're considering all possible inputs.
- Pattern matching simplifies taking structured function arguments apart. Example:

```
fun (x:xs) = x ⊕ fun xs
    ⇔
fun xs = head xs ⊕ fun (tail xs)
```

## Pattern Matching...

- When a function  $f$  is applied to an argument, Haskell looks at each definition of  $f$  until the argument matches one of the patterns.

```
not True = False
not False = True
```

## Pattern Matching...

- In most cases a function definition will consist of a number of mutually exclusive patterns, followed by a **default** (or **catch-all**) pattern:

```
diary "Monday" = "Woke up"
diary "Sunday" = "Slept in"
diary anyday = "Did something else"

diary "Sunday" ⇒ "Slept in"
diary "Tuesday" ⇒ "Did something else"
```

## Pattern Matching – Integer Patterns

- There are several kinds of integer patterns that can be used in a function definition.

Pattern	Syntax	Example	Description
variable	var_name	fact n = ...	n matches any argument
constant	literal	fact 0 = ...	matches the value
wildcard	_	five _ = 5	_ matches any argument
(n+k) pat.	(n+k)	fact (n+1) = ...	(n+k) matches any integer $\geq k$

## Pattern Matching – List Patterns

- There are also special patterns for matching and (taking apart) lists.

Pattern	Syntax	Example	Description
cons	$(x:xs)$	$\text{len } (x:xs) = \dots$	matches non-empty list
empty	$[]$	$\text{len } [] = 0$	matches the empty list
one-elem	$[x]$	$\text{len } [x] = 1$	matches a list with exactly 1 element.
two-elem	$[x,y]$	$\text{len } [x,y] = 2$	matches a list with exactly 2 elements.

## The sumlist Function

\_\_\_\_\_ Using conditional expr: \_\_\_\_\_

```
sumlist :: [Int] -> Int
sumlist xs = if xs == [] then 0
             else head xs + sumlist(tail xs)
```

\_\_\_\_\_ Using patterns: \_\_\_\_\_

```
sumlist :: [Int] -> Int
sumlist [] = 0
sumlist (x:xs) = x + sumlist xs
```

- Note that patterns are checked top-down! The ordering of patterns is therefore important.

## The length Function Revisited

\_\_\_\_\_ Using conditional expr: \_\_\_\_\_

```
len :: [Int] -> Int
len s = if s == [] then 0 else 1 + len (tail s)
```

\_\_\_\_\_ Using patterns: \_\_\_\_\_

```
len :: [Int] -> Int
len [] = 0
len (_:xs) = 1 + len xs
```

- Note how similar len and sumlist are. Many recursive functions on lists will have this structure.

## The fact Function Revisited

\_\_\_\_\_ Using conditional expr: \_\_\_\_\_

```
fact n = if n == 0 then 1 else n * fact (n-1)
```

\_\_\_\_\_ Using patterns: \_\_\_\_\_

```
fact' :: Int -> Int
fact' 0 = 1
fact' (n+1) = (n+1) * fact' n
```

- Are fact and fact' identical?  
fact (-1) ⇒ **Stack overflow**  
fact' (-1) ⇒ **Program Error**
- The second pattern in fact' only matches positive integers ( $\geq 1$ ).

## Summary

- Functional languages use recursion rather than iteration to express repetition.
- We have seen two ways of defining a recursive function: using conditional expressions (`if-then-else`) or pattern matching.
- A pattern can be used to take lists apart without having to explicitly invoke `head` and `tail`.
- Patterns are checked from top to bottom. They should therefore be ordered from specific (at the top) to general (at the bottom).

## Homework

- Define a recursive function `addints` that returns the sum of the integers from 1 up to a given upper limit.
- Simulate the execution of `addints 4`.

```
addints :: Int -> Int
addints a = ...
```

```
? addints 5
15
```

```
? addints 2
3
```

## Homework

- Define a recursive function `member` that takes two arguments – an integer `x` and a list of integers `L` – and returns `True` if `x` is an element in `L`.
- Simulate the execution of `member 3 [1,4,3,2]`.

```
member :: Int -> [Int] -> Bool
member x xs = ...
```

```
? member 1 [1,2,3]
True
```

```
? member 4 [1,2,3]
False
```

## Homework

- Write a recursive function `memberNum x xs` which returns the number of times `x` occurs in `xs`.
- Use `memberNum` to write a function `unique xs` which returns a list of elements from `xs` that occurs exactly once.

```
memberNum :: Int -> [Int] -> Int
unique :: [Int] -> [Int]
```

```
? memberNum 5 [1,5,2,3,5,5]
3
```

```
? unique [2,4,2,1,4]
[1]
```

## Homework

- Ackerman's function is defined for nonnegative integers:

$$A(0, n) = n + 1$$

$$A(m, 0) = A(m - 1, 1)$$

$$A(m, n) = A(m - 1, A(m, n - 1))$$

- Use pattern matching to implement Ackerman's function.
- Flag all illegal inputs using the built-in function `error S` which terminates the program and prints the string `S`.

```
ackerman :: Int -> Int -> Int
```

```
ackerman 0 5 ⇒ 6
```

```
ackerman (-1) 5 ⇒ ERROR
```