

CSc 372

Comparative Programming Languages

22 : Prolog — Introduction

Department of Computer Science
University of Arizona

collberg@gmail.com

Copyright © 2013 Christian Collberg

What is Prolog?

What is Prolog?

- Prolog is a language which approaches problem-solving in a *declarative* manner. The idea is to define *what* the problem is, rather than *how* it should be solved.
- In practice, most Prolog programs have a procedural as well as a declarative component — the procedural aspects are often necessary in order to make the programs execute efficiently.

What is Prolog?

Algorithm = Logic + Control

Robert A. Kowalski

Prescriptive Languages:

- Describe *how* to solve problem
- Pascal, C, Ada,...
- Also: Imperative, Procedural

Descriptive Languages:

- Describe *what* should be done
- Also: Declarative

Kowalski's equation says that

- Logic – is the specification (what the program should do)
- Control – what we need to do in order to make our logic execute efficiently. This usually includes imposing an execution order on the rules that make up our program.

Objects & Relationships

Objects & Relationships

Prolog programs deal with

- objects, and
- relationships between objects

_____ English: _____

“Christian likes the record”

_____ Prolog: _____

`likes(christian, record).`

Facts

Record Database

- Here's an excerpt from Christian's record database:

```
is_record(planet_waves).
```

```
is_record(desire).
```

```
is_record(slow_train).
```

```
recorded_by(planet_waves, bob_dylan).
```

```
recorded_by(desire, bob_dylan).
```

```
recorded_by(slow_train, bob_dylan).
```

```
recording_year(planet_waves, 1974).
```

```
recording_year(desire, 1975).
```

```
recording_year(slow_train, 1979).
```


- The data base contains *unary facts* (`is_record`) and *binary facts* (`recorded_by`, `recording_year`).

- The fact

`is_record(slow_train)`

can be interpreted as

`slow_train is-a-record`

- The fact `recording_year(slow_train, 1979)` can be interpreted as *the recording year of slow_train was 1979*.

Conditional Relationships

Conditional Relationships

- Prolog programs deal with conditional relationships between objects.

_____ English: _____

"C. likes Bob Dylan records recorded before 1979"

_____ Prolog: _____

```
likes(christian, X) :-  
    is_record(X),  
    recorded_by(X, bob_dylan),  
    recording_year(X, Year),  
    Year < 1979.
```

Conditional Relationships. . .

- The rule

```
likes(christian, X) :-  
    is_record(X),  
    recorded_by(X, bob_dylan),  
    recording_year(X, Year),  
    Year < 1979.
```

can be restated as

“Christian likes X, if X is a record, and X is recorded by Bob Dylan, and the recording year is before 1979.”

- Variables start with capital letters.
- Comma (“,”) is read as *and*.

Asking Questions

Asking Questions

Prolog programs

- solve problems by asking questions.

_____ English: _____

“Does Christian like the albums Planet Waves & Slow Train?”

_____ Prolog: _____

```
?- likes(christian, planet_waves).
```

```
yes
```

```
?- likes(christian, slow_train).
```

```
no
```

Asking Questions. . .

English: _____

"Was Planet Waves recorded by Bob Dylan?"

"When was Planet Waves recorded?"

"Which album was recorded in 1974?"

Prolog: _____

```
?- recorded_by(planet_waves, bob_dylan).
```

```
yes
```

```
?- recording_year(planet_waves, X).
```

```
X = 1974
```

```
?- recording_year(X, 1974).
```

```
X = planet_waves
```

Asking Questions. . .

In Prolog

- ", " (a comma), means "and'

_____ English: _____

"Did Bob Dylan record an album in 1974?"

_____ Prolog: _____

```
?- is_record(X),  
    recorded_by(X, bob_dylan),  
    recording_year(X, 1974).
```

yes

Asking Questions. . .

Sometimes a query has more than one answer:

- Use ";" to get all answers.

_____ English: _____

"What does Christian like?"

_____ Prolog: _____

```
?- likes(christian, X).
```

```
  X = planet_waves ;
```

```
  X = desire ;
```

```
no
```

Asking Questions. . .

Sometimes answers have more than one part:

_____ English: _____

"List the albums and their artists!"

_____ Prolog: _____

```
?- is_record(X), recorded_by(X, Y).
```

```
X = planet_waves,
```

```
Y = bob_dylan ;
```

```
X = desire,
```

```
Y = bob_dylan ;
```

```
X = slow_train,
```

```
Y = bob_dylan ;
```

```
no
```

Recursive Rules

Recursive Rules

*“People are influenced by the music they listen to.
People are influenced by the music listened to by the
people they listen to.”*

```
listens_to(bob_dylan, woody_guthrie).  
listens_to(arlo_guthrie, woody_guthrie).  
listens_to(van_morrison, bob_dylan).  
listens_to(dire_straits, bob_dylan).  
listens_to(bruce_springsteen, bob_dylan).  
listens_to(björk, bruce_springsteen).  
  
influenced_by(X, Y) :- listens_to(X, Y).  
influenced_by(X, Y) :- listens_to(X,Z),  
                           influenced_by(Z,Y).
```

Asking Questions. . .

English: _____

"Is Björk influenced by Bob Dylan?"

"Is Björk influenced by Woody Guthrie?"

"Is Bob Dylan influenced by Bruce Springsteen?"

Prolog: _____

```
?- influenced_by(bjork, bob_dylan).
```

```
yes
```

```
?- influenced_by(bjork, woody_guthrie).
```

```
yes
```

```
?- influenced_by(bob_dylan, bruce_s).
```


```
no
```

Visualizing Logic

- *Comma* (,) is read as *and* in Prolog. Example: The rule
`person(X) :- has_bellybutton(X), not_dead(X).`
is read as
"X is a person if X has a bellybutton and X is not dead."
- *Semicolon* (;) is read as *or* in Prolog. The rule
`person(X) :- X=adam ; X=eve ;
has_bellybutton(X).`
is read as
"X is a person if X is adam or X is eve or X has a bellybutton."

Visualizing Logic...

- To visualize what happens when Prolog executes (and this can often be very complicated!) we use the following two notations:




- For AND, both legs have to succeed.
- For OR, one of the legs has to succeed.

Visualizing Logic...

- Here are two examples:


AND

```
?- has_bellybutton(X), not_dead(X).
```



OR


```
?- X=adam ; X=eve ;  
   has_bellybutton(X).
```



Visualizing Logic...

- and and or can be combined:

```
?- (X=adam ; X=eve ; has_bellybutton(X)), not_dead(X).
```



- This query asks

“Is there a person X who is adam, eve, or who has a bellybutton, and who is also not dead?”

How does Prolog Answer
Questions?

Answering Questions

- (1) `scientist(helder).`
- (2) `scientist(ron).`
- (3) `portuguese(helder).`
- (4) `american(ron).`
- (5) `logician(X) :- scientist(X).`
- (6) `?- logician(X), american(X).`


- The rule (5) states that

“Every scientist is a logician”


- The question (6) asks

“Which scientist is a logician and an american?”

Answering Questions...




Answering Questions...



- (1) `scientist(helder).`
- (2) `scientist(ron).`
- (3) `portuguese(helder).`
- (4) `american(ron).`
- (5) `logician(X) :- scientist(X).`
- (6) `?- logician(X), american(X).`

Answering Questions...



Answering Questions...

```
is_record(planet_waves).  is_record(desire).  
is_record(slow_train).
```


```
recorded_by(planet_waves, bob_dylan).  
recorded_by(desire, bob_dylan).  
recorded_by(slow_train, bob_dylan).
```

```
recording_year(planet_waves, 1974).  
recording_year(desire, 1975).  
recording_year(slow_train, 1979).
```

```
likes(christian, X) :-  
    is_record(X), recorded_by(X, bob_dylan),  
    recording_year(X, Year), Year < 1979.
```

Answering Questions...

`?- likes(christian, X)`




Answering Questions...

```
listens_to(bob_dylan, woody_guthrie).  
listens_to(arlo_guthrie, woody_guthrie).  
listens_to(van_morrison, bob_dylan).  
listens_to(dire_straits, bob_dylan).  
listens_to(bruce_springsteen, bob_dylan).  
listens_to(björk, bruce_springsteen).
```

```
(1) influenced_by(X, Y) :- listens_to(X, Y).  
(2) influenced_by(X, Y) :-  
    listens_to(X, Z),  
    influenced_by(Z, Y).
```


```
?- influenced_by(bjork, bob_dylan).  
?- inf_by(bjork, woody_guthrie).
```

Answering Questions...




Answering Questions...

```
?- inf_by(bjork, woody_g).
```



Map Coloring



“Color a planar map with at most four colors, so that contiguous regions are colored differently.”

Map Coloring...

A coloring is OK iff

- 1 The color of Region 1 \neq the color of Region 2, and
- 2 The color of Region 1 \neq the color of Region 3,...

```
color(R1, R2, R3, R4, R5, R6) :-  
    diff(R1, R2), diff(R1, R3), diff(R1, R5), diff(R1, R6),  
    diff(R2, R3), diff(R2, R4), diff(R2, R5), diff(R2, R6),  
    diff(R3, R4), diff(R3, R6), diff(R5, R6).
```

```
diff(red,blue). diff(red,green). diff(red,yellow).  
diff(blue,red). diff(blue,green). diff(blue,yellow).  
diff(green,red). diff(green,blue). diff(green,yellow).  
diff(yellow, red).diff(yellow,blue). diff(yellow,green).
```

Map Coloring...


?- color(R1, R2, R3, R4, R5, R6).

R1 = R4 = red, R2 = blue,



R3 = R5 = green, R6 = yellow ;

R1 = red, R2 = blue,



R3 = R5 = green, R4 = R6 = yellow



Map Coloring – Backtracking



Map Coloring – Backtracking



Working with gprolog

- gprolog can be downloaded from here: <http://gprolog.inria.fr/>.
- gprolog is installed on lectura (it's also on the Windows machines) and is invoked like this:

```
> gprolog
GNU Prolog 1.2.16
| ?- [color].
| ?- listing.
go(A, B, C, D, E, F) :- next(A, B), ...
| ?- go(A,B,C,D,E,F).
A = red ...
```

Working with `gprolog`...

- The command `[color]` loads the prolog program in the file `color.pl`.
- You should use the texteditor of your choice (`emacs`, `vi`,...) to write your prolog code.
- The command `listing` lists all the prolog predicates you have loaded.

Working with gprolog...

```
Terminal
File Edit View Terminal Tabs Help

> enacs color.pl &
[1] 23990
> gprolog
GNU Prolog 1.2.16
By Daniel Diaz
Copyright (C) 1999-2002 Daniel Diaz
| ?- [color].
compiling /home/collberg/teaching/languages/arizo
te code...
/home/collberg/teaching/languages/arizona/372-200
es read - 2532 bytes written, 38 ms

yes
| ?- listing.

go(A, B, C, D, E, F) :-
    next(A, B),
    next(A, C),
    next(A, E),
    next(A, F),
    next(B, C),
    next(B, D),
    next(B, E),
    next(B, F),
    next(C, D),
    next(C, F),
    next(E, F).

next(red, blue).
next(red, green).
next(red, yellow).
next(blue, red).
next(blue, green).
next(blue, yellow).
next(green, red).
next(green, blue).
next(green, yellow).
next(yellow, red).
next(yellow, blue).
next(yellow, green).

yes
| ?- go(A,B,C,D,E,F).

A = red
B = blue
C = green
D = red
E = green
F = yellow ?
```

```
emacs@lectura.CS.Arizona.EDU
Buffers Files Tools Edit Search Misc Help

next(red, blue).
next(red, green).
next(red, yellow).

next(blue, red).
next(blue, green).
next(blue, yellow).

next(green, red).
next(green, blue).
next(green, yellow).

next(yellow, red).
next(yellow, blue).
next(yellow, green).

go(R1, R2, R3, R4, R5, R6) :-
    next(R1, R2), next(R1, R3), next(R1, R5), next(R1, R6),
    next(R2, R3), next(R2, R4), next(R2, R5), next(R2, R6),
    next(R3, R4), next(R3, R6),
    next(R5, R6).
% write(R1, R2, R3, R4, R5, R6), nl.

--:-- color.pl 3:18PM 0.28 (Per1)--L1--A11-----
Loading perl-mode...done
```

Readings and References

- Read **Clocksin-Mellish, Chapter 1-2.**
- <http://dmoz.org/Computers/Programming/Languages/Prolog>

Prolog by Example	Coelho & Cotta
Prolog: Programming for AI	Bratko
Programming in Prolog	Clocksin & Mellish
The Craft of Prolog	O'Keefe
Prolog for Programmers	Kluzniak & Szpakowicz
Prolog	Alan G. Hamilton
The Art of Prolog	Sterling & Shapiro

Readings and References. . .

Computing with Logic	Maier & Warren
Knowledge Systems Through Prolog	Steven H. Kim
Natural Language Processing in Prolog	Gazdar & Mellish
Language as a Cognitive Process	Winograd
Prolog and Natural Language Analysis	Pereira and Shieber
Computers and Human Language	George W. Smith
Introduction to Logic	Irving M. Copi
Beginning Logic	E.J.Lemmon

Prolog So Far

- A Prolog program consists of a number of *clauses*:

Rules

- Have **head** + **body**:

head
likes(chris, X) :-
girl(X), black_hair(X)
body

Facts

- Can be recursive
- Head but no body.
- Always true.

Prolog So Far...

- A clause consists of
 - `atoms` Start with lower-case letter.
 - `variables` Start with upper-case letter.
- Prolog programs have a
 - Declarative meaning
 - The relations defined by the program
 - Procedural meaning
 - The order in which goals are tried

Prolog So Far...

- A question consists of one or more goals:
 - `?- likes(chris, X), smart(X).`
 - `","` means **and**
 - Use `;"` to get all answers
 - Questions are either
 - Satisfiable (the goal succeeds)
 - Unsatisfiable (the goal fails)
 - Prolog answers questions (satisfies goals) by:
 - instantiating variables
 - searching the database sequentially
 - backtracking when a goal fails